

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Sharp	Logo
Company name *	Sharp Electronics Europe Ltd	CLIADO
Contact information *	environment@sharp.eu	SHARP
e-mail address		
Internet site *	www.sharp.eu	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	MFP
Commercial name *	BP-50M45
Model number *	BP-50M45
Issue date *	6th, September 2022
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	BP-50M45	Logo	
Issue date *	6th, September 2022		SHARP

Product	Require	ement	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	€ 🛛		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.sharp.eu	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			\boxtimes
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).			\boxtimes
	Required information is; given in item P15 or added to this document, available at (add URL):			\boxtimes
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). NOTE: The toner is not classified as hazardous.			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	\square		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	BP-50M45 Logo			
Issue da	te *	6th, September 2022	SH	Α	RP
		mental attributes - Market requirements (See General Note GN below) nental conscious design	Requi	remei	nt met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No r	n.a.
P7	Design	nhly socialize			
P7.1*		nbly, recycling t have to be treated separately are easily separable	\square		
P7.2*		aterials in covers/housing have no surface coating.		<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<u> </u>	
P7.4*	-			<u> </u>	
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives			
P7.8*		g can be done using commonly available tools		<u> </u>	
P7.9.		rts are available after end of production for: 7 years			
P7.9. P7.10					_ <u>_</u>
P7.10		s available after end of production for: 7 years			
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):			
17.11	Material 1				
P7.12		naterials of external electrical cables are PVC free.		\square	
P7.13	Insulatior	materials of internal electrical cables are PVC free.			
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000 ppm) bromine and $0,1\%$ 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an chloride or $0,3\%$ weight (3000 ppm) bromine and $0,3\%$ weight (3000 ppm) chlorine in part	d 📩		
P7.15	Printed of	g more than 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low as defined in IEC 61249-2-21. (See NOTE B2)	N		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without components): additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
		emical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	concentra 1. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i ations above 0,1%: cal name: , CAS #: (See NOTE B4)	n		
	3. Chemi	cal name: , CAS #: " cal name: , CAS #: " emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic	<pre>c or >FR(40)< parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:</pre>			
P7.20*	The sour	ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) umer recycled plastic material content is used in the product (See NOTE B6):			
	If YES; a a) Of to a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ircentage of total plastic by weight) is $5 \sim 10$ %. weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	BP-50M4	15					Logo						
Issue dat	Je date * 6th, September 2022						_	SH	A	R	Ρ			
Product	environm	ental att	ributes - Market ree	quireme	ents (contin	ued)			Re	quire	ment	met		
Item									n.a.					
P7.21*			ance requirements (o											
P7.21*	 P7.21* Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 													
	or		he biobased plastic ma	aterial is	g.									
P7.22*			ee from mercury, i.e. le pecify: Number of lam),1 mg/lamp. and maximu	m mercury co	ontent per	lamp: I	mg	\square				
P7.23*	If product	includes a	an integral display, the	total mer	cury content in	n the integrat	ed display	: mg			\boxtimes			
P8	Batteries													
P8.1*			mposition: <i>LiMnO2</i>											
P9			on (See NOTE B8)											
P9.1	For the pr	roduct the	following power levels	or energ	y consumptior									
Energy m			Power level at 100 V AC	11	er level at 5 V AC	Power le 230 V		Reference/St modes and te			nergy			
	de for ENEF Operational N		W	V	V	W								
Standby/c ENERGY	off mode for STAR Oper M) products	rational	W	V	V	W						\square		
TEC value TEC prod	e for ENER(lucts (TEC= onsumption)	Typical	kWh/week	k	kWh/week 0.52 kWh/week [*] Energy Star (ver. 3.0) %The above TEC value meets TEC Require ENERGY STAR for Imaging Equipment Version									
Maximun consump			W	v	V	1840 W								
Operating	g mode		W	V	V	740 W								
Ready m	ode		W	v	V	86 W								
Preheat r	node		W	v	V	46 W						$\overline{\neg}$		
Auto pov	ver shut-off	f mode	W	V	V	0.2 W						Ħ		
Plug-in o	ff mode		W	v	V	0.1 W								
		ly Efficienc	y Level (International	Efficiency	/ Marking Prot	ocol) * :								
Print/Scar		-	45 images per minute	-	0	,		Monochrom	•					
	•								<u> </u>			<u> </u>		
Default time to enter energy save mode: 11 minutes								ᆜ						
	P9.2* Information about the energy save function is provided with the product.													
P10 Emissions (See NOTE B8) Doise emission – Declared according to ISO 9296														
P10.1	P10.1 Mode Mode description			Declared A-weighted sou	ed sound power (dB)		A-weighted							
				level .		level L_{WAd} (B))	Operator position		Bystand	der pos	tions	
	(The statistical adder for verification (Operating 0.3B, Standby 0.3B) is not included.)			Desktop esk side	(only if p operat	roduct i or atter								
	Idle * Standby			2.8			1	12						
	Operation * Operating Other mode			*	6.9			ŧ	55					
	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)													
The product meets the acoustic noise requirements of the following voluntary program/s: Blue Angel DE-UZ 219														
												_		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Annex B1 of ECMA-370 6th edition

Issue date ' 6th, September 2022 SERER P Product environmental attributes - Market requirements (continued) Requirement met Image: Second	Model number * Issue date *		BP-50M45			Logo				
Item Yes No n.a. Chemical emissions from printing products (See NOTE B10) Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Image: Chemical emission rates (See NOTE B10) P10.2 Typical emission rate (operation phase) is (mg/h): Monochrome Image: Chemical emission rate (operation phase) is (mg/h): Monochrome Image: Chemical emission rate (operation phase) is (mg/h): Monochrome Electrophotographic devices: Dust Styrene Benzene < LOD TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) P11.2 Consumable materials for printing products Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) P11.2 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of En 12281. Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) P11.3 Packedging material type(s): Paper / Cardboard weight (kg): 0.33 Image: Chemical Stress (Kg): 7.80 Image: Chemical Stress (Kg): 7.80 P13.4 The product packaging material type(s): Paper / Cardboard weight (kg): 7.80 Image: Chemical Stress (Kg): Chemical Stress (Kg): Chemical Stress (Kg): 7.80<			6th, September 2	022			S	HA	R	Ρ
Item Yes No n.a. Chemical emissions from printing products (See NOTE B10) Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Image: Chemical emission rates (See NOTE B10) P10.2 Typical emission rate (operation phase) is (mg/h): Monochrome Image: Chemical emission rate (operation phase) is (mg/h): Monochrome Image: Chemical emission rate (operation phase) is (mg/h): Monochrome Electrophotographic devices: Dust Styrene Benzene < LOD TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) P11.2 Consumable materials for printing products Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) P11.2 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of En 12281. Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) Image: Chemical Stress (SDS) P11.3 Packedging material type(s): Paper / Cardboard weight (kg): 0.33 Image: Chemical Stress (Kg): 7.80 Image: Chemical Stress (Kg): 7.80 P13.4 The product packaging material type(s): Paper / Cardboard weight (kg): 7.80 Image: Chemical Stress (Kg): Chemical Stress (Kg): Chemical Stress (Kg): 7.80<										
Chemical emissions from printing products (See NOTE B10) Image: Contemport of the contexplant of the contemport of the contemport of the contexplant of the contemport of the contexplant of the contexplant of the contemport of the contexplant of the contemport of the contexplant of the conte		environ	mental attribute	s - Market requirements	(continued)			-		
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Image: Complex Compl	Item							Yes	No	n.a.
Equipment (ISO/IEC 28360)], other specify: Blue Angel DE-UZ 219 Image: Content of Con	D40.0t					5 1 ()				
Electrophotographic devices: Ozone 0.2 Dust 0.3 Styrene 0.1 Benzene < LOD TVOC 2.5 (*< LOD* means less than limit of detection.)	-	Equipm	ent (ISO/IEC 28360)) 🔲, other specify: Blue Al	ngel DE-UZ 219	Electronic				
(*< LOD* means less than limit of detection.)	P10.3	Typical	emission rate (ope	ation phase) is (mg/h): Mon	ochrome					
NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging material type(s): <i>PAper / Cardboard</i> weight (kg): 0.33 Product packaging material type(s): <i>PSP</i> weight (kg): 0.33 Product packaging material type(s): <i>PSP</i> weight (kg): 7.80 P13.2* P13.2* Product plastic primary packaging is free from PVC. Image: Plass		Electrop	hotographic device	es: Ozone 0.2 Dust 0.3 Sty			ction.)			
NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging material type(s): <i>PAper / Cardboard</i> weight (kg): 0.33 Product packaging material type(s): <i>PSP</i> weight (kg): 0.33 Product packaging material type(s): <i>PSP</i> weight (kg): 7.80 P13.2* P13.2* Product plastic primary packaging is free from PVC. Image: Plass		Ink devi	ces:	Dust	Styrene Benzene	TVOC				
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.4* Product packaging material type(s): <i>EPS</i> weight (kg): 4.98 Product packaging material type(s): <i>Wood</i> weight (kg): 7.80 P13.2* Product packaging material type(s): Wood weight (kg): 7.80 P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90 % P13.4* Specify media for user and product documentation (tick box): Electronic X, Paper X, Otter _ P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:										\boxtimes
P11.2" Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. Image: Consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3" 2-sided (duplex) printing/copying is an integrated product function. Image: Consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.4" The product is delivered to end-user with default auto-duplex enabled. Image: Consumer recycled fibers can be used, provided that it meets the requirements of Product packaging material type(s): <i>Paper / Cardboard</i> Product packaging material type(s): <i>Paper / Cardboard</i> Product packaging material type(s): <i>Wood</i> weight (kg): 7.80 P13.2" Product packaging is free from PVC. P13.3.* For product primary packaging is free from PVC. P13.4" Specify media for user and product documentation (tick box): Electronic N. Paper (). Other Image: Soft the contained percentage of minimum post- consumer recovered fiber content. P13.4* Specify media for user and product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Image: Content is chlorine-free P14. Voluntary programs: Image: Product category: Eco-label: Criteria version: Date: Product category: Product category: Eco-label: Criteria version: Date: Product category: Product category:	P11	Consur	nable materials fo	r printing products						
EN 12281. Image: Construction of the product function. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): Paper / Cardboard weight (kg): 0.33 product packaging material type(s): Wood weight (kg): 7.80 P13.2* Product packaging material type(s): Kood weight (kg): 7.80 P13.3* For product primary packaging is free from PVC. P13.3* For product primary packaging is free from PVC. P13.4* Specify media for user and product documentation (tick box): Electronic S. Paper J. Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: Image: Processed chlorine-free P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: Image: Processed chlorine-free P14 Voluntary programs: Product category: P14.1 The product meets the requirements of the following voluntary program(s): EneReGY STAR® ENERGY STAR® Criteria version: Date: Product	P11.1*				preparation, even if not legally re	equired (see	P4.3).	\square		
P11.4* The product is delivered to end-user with default auto-duplex enabled. Image: Constraint of the product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): <i>Paper / Cardboard</i> weight (kg): 0.33 Product packaging material type(s): <i>Wood</i> weight (kg): 0.33 Product packaging material type(s): Wood weight (kg): 7.80 P13.2* Product plastic primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90 % P13.4* Specify media for user and product documentation (tick box): Electronic M, Paper M, Other Image: Consumer recovered fiber contantion on paper media is chlorine-free: If Yes, please specify: Image: Consumer recovered fiber contation on paper media is chlorine-free: If Yes, please specify: Image: Consumer recovered fiber contained percentage of minimum post-consumer recovered fiber contained on paper media is chlorine-free: If Yes, please only complete this item if paper documentation used) Image: Consumer recovered fiber contained percentage of minimum post-consumer recovered fiber contained percentage of minimum post-consumer recovered fiber contained percentage of minimum post-consumer recovered fiber content: 90 % P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine	P11.2*			sumer recycled fibers can be	used, provided that it meets the	requirements	s of	\boxtimes		
P13 Packaging and documentation P13.1* Product packaging material type(s): <i>Paper / Cardboard</i> weight (kg): 4.98 Product packaging material type(s): <i>EPS</i> weight (kg): 0.33 Product packaging material type(s): <i>Wood</i> weight (kg): 7.80 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90 % P13.4* Specify media for user and product documentation (tick box): Electronic X Paper X P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: Image: Consumer recovered fiber content: 90 % P13.5 (Please specify: Image: Consumer recovered fiber content: Viser and product documentation on paper media is chlorine-free: Image: Consumer recovered fiber content: If Yes, please specify: Image: Consumer recovered fiber content: Image: Consumer recovered fiber content: P14.1 Voluntary programs: Image: Content consumer recovered fiber content: Image: Consumer recovered fiber content: <td< td=""><td>P11.3*</td><td>2-sided</td><td>(duplex) printing/co</td><td>pying is an integrated produ</td><td>ct function.</td><td></td><td></td><td>\boxtimes</td><td></td><td></td></td<>	P11.3*	2-sided	(duplex) printing/co	pying is an integrated produ	ct function.			\boxtimes		
P13.1* Product packaging material type(s): Paper / Cardboard Product packaging material type(s): EPS weight (kg): 0.33 weight (kg): 7.80 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 90 % P13.4* Specify media for user and product documentation (tick box): Electronic A, Paper A, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Product category:	P11.4*								Π	Π
Product packaging material type(s): EPS weight (kg): 0.33 Product packaging material type(s): Wood weight (kg): 7.80 P13.2* Product plastic primary packaging is free from PVC. Image: Consumer recovered fiber content: 90 % P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90 % Image: Consumer recovered fiber content: 90 % P13.4* Specify media for user and product documentation (tick box): Image: Consumer recovered fiber content: 90 % P13.5 (Please only complete this item if paper documentation used) Image: Consumer recovered fiber content: 90 % P13.5 (Please only complete this item if paper documentation used) Image: Consumer recovered fiber content: 90 % P13.5 (Please only complete this item if paper documentation used) Image: Consumer recovered fiber content: 90 % V3.5 (Please only complete this item if paper documentation used) Image: Consumer recovered fiber content: 90 % V13.5 (Please only complete this item if paper documentation used) Image: Consumer recovered fiber content: 90 % V3.5 Totally chlorine-free Image: Consumer recovered fiber content: 90 % Image: Consumer recovered fiber content: 90 % P14 Voluntary programs: Image: Consumer recovered fiber content: 90 % <t< td=""><td>P13</td><td>Packag</td><td>ing and documen</td><td>tation</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	P13	Packag	ing and documen	tation						
P13.2* Product plastic primary packaging is free from PVC. Image: Consumer recovered fiber content: Image: Consumer consumereconsumerecontent: Image: Consumer cons	P13.1*	Product	packaging materia	l type(s): EPS	weight (kg): 0.33					
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 90 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.2*							\boxtimes		
P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Totally chlorine-free Image: Complete this item if paper documentation used) P14.1 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.3*				pecify the contained percentage	of minimum (oost-			
P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Image: Complete this item if paper documentation used) Totally chlorine-free Image: Complete this item if paper documentation on paper media is chlorine-free: Image: Complete this item if paper documentation used) Totally chlorine-free Image: Complete this item if paper documentation on paper media is chlorine-free: Image: Complete this item if paper documentation used) P14 Voluntary programs: Image: Complete this item if paper documents of the following voluntary program(s): P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.4*				box):					
Elemental chlorine-free Processed chlorine-free Image: Colspan="2">Image: Colspan="2">Image: Colspan="2" P14 Voluntary programs: Image: Colspan="2">Product meets the requirements of the following voluntary program(s): P14.1 The product meets the requirements of the following voluntary program(s): Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Eco-label: Criteria version: Date: Product category: Eco-label: Product category: Eco-label: Criteria version: Date: Product category: Product category:		Elemental chlorine-free								
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:										
ENERGY STAR®Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:				design of the faller i						
Eco-label:Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:	P14.1	The pro	auct meets the req	uirements of the following vo	iuntary program(s):					
Eco-label: Criteria version: Date: Product category:		ENERG	Y STAR®	Criteria version:	Date:	Product cat	egory:			
P15 Additional information (See NOTE B11)		Eco-lab	el:	Criteria version:						
	P15	Additio	nal information (S	ee NOTE B11)						

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

•	1
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	