

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Sharp	Logo
Company name *	Sharp Electronics Europe Ltd	CLIADO
Contact information *	environment@sharp.eu	SHARP
e-mail address		
Internet site *	www.sharp.eu	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	MFP
Commercial name *	MX-C304WH
Model number *	MX-C304WH
Issue date *	10th,June,2022
Intended market *	🗌 Global 🔀 Europe 🔲 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	MX-C304WH	Logo	
Issue date *	10th,June,2022		SHARP

Product environmental attributes - Legal requirements						
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\square				
			- 님			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes				
P1.3*	Comment: Legal reference has no maximum concentration value.	N 7				
P1.3	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated					
1 1.4	terphenyl (PCT) in preparations (see legal reference).	\boxtimes				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes				
1 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	\boxtimes				
1 1.0	(see legal reference).					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square				
	www.sharp.eu					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal					
P2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)			\bowtie		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes				
FZ.Z	reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes		
		<u> </u>	<u> </u>			
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			\boxtimes		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional			\square		
	user", the related text is present and legible on the external packaging (see legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):					
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			\bowtie		
	(see legal reference).					
	Required information is; given in item P15 or added to this document,			\bowtie		
	available at (add URL):					
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\square				
	than 0,01% (see legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\square				
	legal reference)					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		\boxtimes			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available					
	(see legal reference). NOTE: The toner is not classified as hazardous.					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes				
	hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	\boxtimes				
	used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes				
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
De						
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		MX-C304WH Logo						
Issue date *		10th,June,2022	SH	A	RP			
Product	environ	mental attributes - Market requirements (See General Note GN below)						
		nental conscious design	Requ	ireme	nt met			
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design							
P7.1*		mbly, recycling t have to be treated separately are easily separable						
P7.2*		aterials in covers/housing have no surface coating.		<u> </u>				
P7.3*								
				<u> </u>	<u> </u>			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	<u> </u>			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).						
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives						
P7.8*		g can be done using commonly available tools						
-					<u> </u>			
P7.9.		rts are available after end of production for: 7 years						
P7.10		s available after end of production for: 7 years						
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):	<u></u>					
F7.11	Material 1							
P7.12		n materials of external electrical cables are PVC free.		\square				
P7.13	Insulatior	n materials of internal electrical cables are PVC free.	— Ħ		Ē			
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1	%					
	weight (1 polyvinyl	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, ar chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in par g more than 25% post-consumer recycled content.	nd					
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are lo as defined in IEC 61249-2-21. (See NOTE B2)	w	\boxtimes				
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes					
P7.17	<u>Alt. 1: </u> Ch	memical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) 🔲, TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name: , CAS #:	\boxtimes					
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g g ISO 1043-4:						
P7.18	<u>Alt. 1: Fla</u>	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations	in					
		ations above 0,1%:						
		cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "						
		cal name: , CAS #: "						
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: < or >FR(40)<	\square					
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:						
	The sour	ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes					
	a) Of te	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is $0 \sim 1.0$ %.	3					
	or	weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	MX-C304	ŧWH					Logo		_		
Issue dat	e *	10th,Jun	e,2022						Sł		R	P
Product	environm	nental att	ributes - Market re	quirem	ents (contin	ued)			R	equire	ment	met
Item					n					Yes	No	n.a.
P7.21*	Biobased If YES; at a) Of to total or	l plastic ma t least one otal plastic l plastic by	ance requirements (c aterial content is used i of the two alternatives parts' weight > 25 g, t weight) is %. he biobased plastic m	in the pr below s the biob	oduct (See NO shall be answer ased plastic ma	ed;	nt (calculate	d as a perce	entage of			
P7.22*			ee from mercury, i.e. le pecify: Number of lam		0,1 mg/lamp. and maximu	m mercury co	ontent per la	mp: I	mg			
P7.23*	If product	t includes a	an integral display, the	total me	ercury content in	n the integrat	ed display:	mg			\boxtimes	
P8	Batteries	5										
P8.1*	Battery cl	hemical co	mposition: LiMnO2									
P9			on (See NOTE B8)									
P9.1	For the p	roduct the	following power levels	or ener	gy consumptior	ns are reporte	<u>ed:</u>					
Energy m	ode *		Power level at 100 V AC	-	ver level at 15 V AC	Power le 230 V		eference/St nodes and te			nergy	
	de for ENER perational I		W		W	W						
Standby/c ENERGY	off mode for STAR Ope <i>I</i>) products	rational	W		W	W						
TEC value for ENERGY STAR TEC products (TEC= Typical Energy Consumption)		GY STAR Typical	kWh/week		kWh/week		ove TEC v	Energy Star alue meets naging Equi	TEC Red			
Maximun consump			W		W	1840 W						
Operating	g mode		W		W	570 W						
Ready m	ode		W		W	110 W						
Preheat r	node		W		W	97 W						
Auto pow	ver shut-of	f mode	W		W	1.0 W						Π
Plug-in o	ff mode		W		W	0.1 W						
		lv Efficienc	y Level (International	Efficiend	v Marking Prot	ocol) * :						
Print/Scar		-	30 images per minute		, 0	,		Color/Mono	abromo			
	-							,0101/10101	unionie			<u> </u>
			ve mode: 11 minutes									<u> </u>
P9.2*			e energy save function	n is prov	vided with the p	roduct.				\square		
P10	Emission	s (See NO	TE B8) eclared according to IS	SO 9296								
P10.1	Mode	M	ode description		Declared A-weighted so	und power	Declared (dB)	A-weighted				
					level L_{WAd} (B)	evel L_{WAd} (B) Operat		esktop	Bystan	der pos	itions	
					verification (Op 0.3B, Standby included.)	perating		sk side	(only if p opera	oroduct tor atter		
	Idle * Standby		* 3.8			22						
	Operation Other mo		Operating		* 7.0)		53				
	Measured according to: X ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)											
	The prod	uct meets t	the acoustic noise requ									

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Annex B1 of ECMA-370 6th edition

Model number *	MX-C304WH	Logo	
Issue date *	10th,June,2022		SHARP

Produc	t environmental attribu	tes - Market requirement	ts (continued)		Require	ment	met
Item					Yes	No	n.a.
	Chemical emissions fr	om printing products (See N	NOTE B10)				
P10.2*		ng to ECMA-328 Determinatio		Rates from Electronic	\square		
	Equipment (ISO/IEC 28	360) , other specify: <i>Blue</i>	Angel DE-UZ 205				
P10.3		peration phase) is (mg/h): Co					
	Electrophotographic dev	vices: Ozone 2.7/0.7 Dust 0	0.5 / - Styrene 0.1 / 0.0	Benzene < LOD / < LOD			
	1 0 1	TVOC 2.8/2.0	,				
			("< LOD" mear	ns less than limit of detection	.)		
	lak daviana.	Dust	Churrent		,		
	Ink devices:	Dust maximum emission rates in e		Benzene TVOC			\boxtimes
	•						
P11	Consumable materials	for printing products					
P11.1*		DS) is available for the ink/ton). 🔀		
P11.2*		onsumer recycled fibers can b	be used, provided that it	meets the requirements of	\square		
D / / C	EN 12281.						
P11.3*		/copying is an integrated proc					
P11.4*	The product is delivered	to end-user with default auto	-duplex enabled.		\square		
P13	Packaging and docum	entation					
P13.1*	Product packaging mate	rial type(s): Paper / Cardboa					
	Product packaging mate	erial type(s): <i>Plastic / EPS</i>	weight (kg): 0.5	1			
P13.2*	Product packaging mate	backaging is free from PVC.	ight (kg):				
-							<u> </u>
P13.3*	consumer recovered fib			bercentage of minimum post-			
P13.4*		and product documentation (tio	ck box):				
	Electronic 🔀, Paper						
P13.5	(Please only complete the	nis item if paper documentatio	n used)		_	_	
		nentation on paper media is cl	hlorine-free:		\bowtie		
	If Yes, please specify:						
	Totally chlorine-free						
	Elemental chlorine-free				$\overline{\boxtimes}$		
	Processed chlorine-free						
P14	Voluntary programs:						
P14.1	The product meets the r	equirements of the following v	oluntary program(s):				
			_				
	ENERGY STAR®	Criteria version:	Date:	Product categor	y:		
	Eco-label:	Criteria version:	Date:	Product category	:		
	Eco-label:	Criteria version:	Date:	Product category			
P15	Additional information	(See NOTE B11)					
		· · ·					

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

•	1
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	