

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Sharp	Logo
Company name *	Sharp Electronics (Europe) GmbH	
Contact information *	umwelt.de@sharp.eu	SHARP
Internet site *	www.sharp.eu	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Digital Full Color Printer					
Commercial name *	MX-C300P,MX-C300PE					
Model number *	MX-C300P,MX-C300PE					
Issue date *	2014-06-13/Revise 2014-12-01					
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	MX-C300P,MX-C300PE		
Issue date *	2014-06-13/Revise 2014-12-01	Logo	

<b>Product</b>	luct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	$\boxtimes$	П	
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See			
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	$\square$		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	$\boxtimes$		
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			X
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			X
	aromatic amines. (See legal reference and Note B1)	_	_	_
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).	_		
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\boxtimes$		
	microgram/cm <sup>2</sup> /week (see legal reference).		_	_
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	www.sharp.eu	_	_	_
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			$\boxtimes$
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\boxtimes$		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	<b>,</b>		$\boxtimes$
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical	al	_	
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal	$\boxtimes$		
	reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	,		$\boxtimes$
	with legally required standards for radio and telecommunication devices (see legal reference).		ш	
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			
1 4.1	legal reference and Note B1).		Ш	ш
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\boxtimes$		
			╫	<del>-  -  -</del>
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	$\boxtimes$		
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
DE				
P5	Product packaging	1 2		
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an	d 🔀		
DE 0*	hexavalent chromium by weight of these together.		_	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		Щ	<u> </u>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).		_	_
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	MX-C300P,MX-C300PE		
Issue date *	2014-06-13/Revise 2014-12-01	Logo	

Product	uct environmental attributes - Market requirements - Environmental conscious design Requirement met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$			
P7	Design				
D7 1*	Disassembly, recycling  Parts that have to be treated apparetally are easily appareble.		_	_	
P7.1*	Parts that have to be treated separately are easily separable  Plastic materials in covers/housing have no surface coating.	$\boxtimes$	<del>  </del>	<u> </u>	
P7.2*					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		<u>Ц</u>		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		<u>Ц</u>		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$			
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: PC+ABS Material type: PS-HI Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$		
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\boxtimes$		
	Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: >FR40<				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):				
	TBBPA (additive), TBBPA (reactive) \bigotimes Other; chemical name:, CAS #:	ш	ш	ш	
	, , , , , , , , , , , , , , , , , , , ,				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				
D7.40	ISO 1043-4:				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in				
	concentrations above 0.1%:	Ш	Ш	Ш	
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	Chemical specifications of fiame retardants in plastic parts >25g according 150 1045-4.			П	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	Ħ	Ħ	T	
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is <b>6.24</b> %.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.				
P7.22	Light sources are free from mercury	$\boxtimes$			
DO	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8.1*	Batteries Battery chemical composition: LiMnO2				
P8.2	Batteries meet the requirements of the following voluntary program/s:			<del>-  -  -</del>	
1 0.2	batteries meet the requirements of the following voluntary program/s.				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MX-C300P,MX-C300PE		
Issue date *	2014-06-13/Revise 2014-12-01	Logo	

Product environmental a	nvironmental attributes - Market requirements (continued) Requirement me				t met	
Item				Yes No	n.a.	
P9 Energy consump						
9.1 For the product the following power levels or energy consumptions are reported:						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard for energ modes and test method *	/ -
Max. power consumption	W	W	<b>1,150</b> W			
Operation continious	W	W	<b>492</b> W			
Ready mode	W	W	<b>92</b> W			
Preheat mode	W	W	<b>83</b> W			
Sleep mode	W	W	2.5 W			
Plug-in off mode	W	W	<b>0.1</b> W			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W			
PTEC * Typical Energy Consumption	W	W	W			
TEC * Typical Energy Consumption	kWh/week	kWh/week	2.0 kWh/week		Energy Star (ver. 2.0)	
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar		
Display resolution* : N	splay resolution* : Megapixels					
rint Speed * : 30 Images per minute Color/Monochorome						
Default time to enter energy s	Default time to enter energy save mode: minutes					
P9.2* Information about	the energy save function	on is provided with th	ne product.			
ENERGY STAR® Others specify: B		nts of the following v Product category:				
P10 Emissions	<u> </u>	100 0000				
	<ul> <li>Declared according to Mode description</li> </ul>		Declared A-weighted sound power level $L_{WAd}$ (B)	Ope	Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB) rator position Bystander position	
					Desktop (only if product is no operator attended	t
Idle	* Ready	*	* 5.0		33.2	$\perp \square$
Operation	* Operation	*	* 6.9		53.4	$\perp \Box$
Other mode						_
	Other				m measurement distance m)	
P10.2 The product meet	s the acoustic noise req	uirements of the foll	owing voluntary	progr	am/s: Blue Angel	

Model number *	MX-C300P,MX-C300PE		
Issue date *	2014-06-13/Revise 2014-12-01	Logo	

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ 171	$\boxtimes$		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust not detected/0.1 Ozone 1.9/0.6 Styrene 0.2/0.02 Benzene not detected TVOC 1.2/0.3			
P10.5	Chemical emission requirements of the following voluntary program/s <b>Blue Angel</b> are met for :	$\boxtimes$		
	Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\boxtimes$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of 🔀		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\boxtimes$		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\square$
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Paper/Cardboard weight (kg): 2.56			
	Product packaging material type(s): Plastic/EPS weight (kg): 0.52			
D40.0*	Product packaging material type(s): <i>Plastic/EPE</i> weight (kg): 0.05 <i>0.05</i>			
P13.2*	Product plastic packaging is free from PVC.	$\boxtimes$		Щ.
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: $\it{o}$ %			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
	Toner cartridge yield, average: black toner 6K, color toner 6K			
	printed on one-sided on A4 paper, 5 % coverage. Measured according to SHARP's standard.			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19